Estuaries Vol. 1, No. 4, p. 273–275 December 1978

General Index

A

Acartia clausi, 68, 70, 90
  tonsa, 58, 68, 69, 70, 71
Acer rubrum, 212
Acroperus harpae, 38, 40
Adinia xenica, 225
Agelaius pheoniceus, 48
Algae
  blue-green, affinity of for calcium, 17–28
  fucoid brown, 258–61
  vital and mortal staining of, 192–6
    CPO effects on, 192–6
Alona affinis, 38, 40
Alosa pseudoharengus, 36–45
Alteutha oblongata, 70
Anguilla rostrata, 37
Aratus pisoni, 269
Artemia salina, 58, 59, 60
Ascophyllum nodosum, receptacles from, 258–61
Asplanchna sp., 38, 42
Aurelia aurita, 58
  larval settlement behavior in, 120–2
Avian cholera, 128–9
Aythya valisineria, 174

B

Baccharis halimifolia, 212
Balanus improvisus, 184
Barnacle, 184
Basicladia chelonum, 54, 56, 57
  crassa, 54, 55
  ramulosa, 54
  sinensis, 54
  spp., 54
  taxonomic considerations, 55–6
  vivipara, 54
Bayley, S., V. D. Stotts, P.F. Springer, and J. Steenis, 171–82
Birds
  blackbird, red-winged, 48
  bobwhite, 48
  canvasback, 174, 176, 177
  geese, Canada, 177
  goldfinch, American, 48
  oystercatcher, American, 128–9
  grackle, common, 48
  osprey, 47, 49, 52
  owl, barn, 46–53
  pelican, brown, 51
  sparrow, house, 48
  starling, 48
Bishop's weed, mock, 212
Blarina brevicauda, 48
Bleil, D. F., and M. E. Gunn, 267
Block, S. B., N. I. Ulanowicz, C. Buys, and R. P. Morgan, II, 255–8
Blum, U., E. D. Seneca, and L. M. Stroud, 228–38
Blus, L. J., L. N. Locke, and E. Cromartie, 128–9
Boccardia hamata, 183–5
Bosmina coregoni, 40
  longirostris, 38, 40, 42, 43, 44
Boston, M. A., A. J. Provenzano, Jr., and K. B. Schmitz, 239–44
Branta canadensis, 177
Brevoortia tyrannus, 141–50
Brewer, R. H., 120–2
Brown, M., and G. F. Somers, 17–28
Buckley, E. N., F. K. Pfaender, and R. B. Jonas, 264–6
Byrne, D. M., 211–27

C

Cadmium, 123–5
  exposure and salinity stress, 123
Calcium exchange properties, 17–28
Callinectes sapidus, 202–5, 242
  predator on *Littorina irrorata*, 267
Cardisoma guanhumi, 269
Cargo, D. G., and H. C. Clifford, 58–61
Carlson, D. M., 85–92
Carybdea marsupialis, 122
Cattail, narrow-leaved, 212
Centropages typicus, 70
Cephalosporium, 102, 104
Ceratophyllum demersum, 173
Ceriodaphnia reticulata, 38, 40, 42, 43, 44
Chaetoceros septentrionalis, 192, 194
Chesapeake Bay
  barn owls from, 46–53
  fluctuations of dominant plants, 174
  grass shrimp in, 239–44
    Kepone contaminated populations of, 239–44
  invasion of *Myriophyllum spicatum*, 180–1
  marsh vegetation, 157–63
  milfoil population explosion, cause of, 177–9
  occurrence of fungi on rooted aquatics, 101–5
  occurrence of ladyfish in, 205–6
  patterns of diversity, 174–6
  submerged aquatic macrophyte populations of, 171–82
  suspended sediment discharge from Susquehanna River, 106–10
  waterfowl population fluctuations, 176–7
Chlordecone, 239
Chrysaora quinquecirrha, 58–61
Chrysemys rubriventris, 54–7
Chydorus sphaericus, 38, 40, 42, 43, 44
Cladophora glomerata, 55
  kosterae, 55, 56
  kuetzingiana, 55
  okamurai, 56
Clam, soft-shelled, genetic variation in, 255–8
Clava squamata, 120
Clifford, H. C., and D. G. Cargo, 58–61
Cobb, J. S., and T. J. Vigerstad, 36–45
Cole, M. A., and R. P. Morgan, II, 202–5
Colinus virginianus, 48
Coontail, 173
Coughlan, J., and J. M. Fleming, 132–5, 135–7
Crab
  blue, 242
    genetic variation in, 202–5
    predator on *Littorina irrorata*, 267
  fiddler, 123
  hermit, 184
  land, 269
  mangrove tree, 269
  mud fiddler, semilunar hatching periodicity in, 268–9
Crassostrea virginica, 183–5, 245–51
  fishery threatened, 111, 118
  swimming speeds of larvae, 252–5
Cromartie, E., L. J. Blus, and L. N. Locke, 128–9
Cronin, W. B., J. R. Schubel, M. G. Gross, and M. Karweit, 106–10
Cruz, A. A. de la, and C. T. Hackney, 185–8
Curtis, L. A., 73–84
Cyanea capillata, 120, 121, 122
Cyathura carinata, 93, 96–8
  polita, distribution and breeding cycle of, 93–100
    life history, 94–6
Cyclops sp., 70
Cyprinodon variegatus, 214, 224, 242

D

Damariscotta River, Maine, 200–2
  estuarine environment, 201
Daphnia ambigua, 38, 40, 43
Delaware Bay, *Sabellaria* population in, 73–84
Denoncourt, R. F., J. C. Fisher, K. M. Rapp, 269–72
Diaphanosoma brachyurum, 38, 40, 42, 43
Dietert, M. F., and J. P. Shontz, 164–70
Distichlis spicata, 30, 159, 160, 161, 162
Dornseif, B. E., and P. Rublee, 188–91
Dunaliella tertiolecta, 192, 193, 194, 195

E

Elder, marsh, 212
Elodea, 101
  canadensis, 173
Elops saurus, 205–6
Eosin-nigrosin staining techniques, 246–8, 250
Ernst, C. H., and J. N. Norris, 54–7
Esox niger, 37
Euchlanis sp., 38, 42
Eurycercus lamellatus, 38, 40, 42, 44
Eurytemora affinis, 69, 70
Eustrongyloides sp., 221, 225

F

Fell, P. E., 261–4
Fish
  alewife, 36–45
  bass, striped, 126–8, 130
  killifish, banded, 270, 271
    spotfin, life history of, 211–27
  ladyfish, 205–6
  menhaden, Atlantic, 141–50
  minnow, sheepshead, 214, 242
  mosquitofish, 214
  mummichog, 211, 214
    a freshwater population of, 269–72
  perch, white, 130
    anomalous dorsal fin of, 64–5

silversides, 61
tomcod, Atlantic, 130
Fish impingement, 129–32
Fisher, J. C., K. M. Rapp, and R. F. Denoncourt, 269–72
Flemer, D. A., D. R. Heinle, C. W. Keefe, and D. H. Hamilton, 157–63
Fleming, J. M., and J. Coughlan, 132–5, 135–7
Floyd, G., and D. P. Middaugh, 123–5
Fox Creek Marsh, Virginia
spotfin killifish in, 211–27
Fundulus confluentus, 224
diaphanus, 270
heteroclitus, 211, 214, 218, 219, 221, 223, 224, 225
freshwater population in Susquehanna River, 269–72
luciae, 211–27
Fungi on rooted aquatics, 101–5

G

Gambusia affinis, 214
Govoni, J. J., and J. V. Merriner, 205–6
Grass
redheaded, 101
widgeon, 101
Greer, J. E., and B. Kjerfve, 111–9
Gross, M. G., M. Karweit, W. B. Cronin, and J. R. Schubel, 106–10
Groundsel tree, 212
Gucinski, H., 151–6
Gunn, M. E., and D. F. Bleil, 267

H

Hackney, C. T., and A. A. de la Cruz, 185–8
Haematopus palliatus, effects of pollutants and disease, 128–9
Haliclona loosanoffi, variation in annual degeneration of, 261–4
Hamilton, D. H., D. A. Flemer, D. R. Heinle, and C. W. Keefe, 157–63
Haskin, H. H., and H. Hidu, 252–5
Heath, E., and C. D. Rose, 245–51
Heinle, D. R., C. W. Keefe, D. H. Hamilton, and D. A. Flemer, 157–63
Hemicyclops adhaerens, 200–2
americanus, 200
Heteranthera dubia, 173
Hibuscus moscheutos, 212
Hidu, H., and H. H. Haskin, 252–5
Hippolyte
coerulescens, 1, 15
curacaoensis, 1
nicholsoni, 1
pleuracanthus, clarification of taxonomic relationships, 15–6
identification of, 2–12
larval development of, 1–16
zostericola, 1, 15, 16
Hurricane Agnes, floods caused by, 107, 108, 109
Hydractinia echinata, 120

I

Ictalurus nebulosus, 37
Ilex opaca, 212
Iva frutescens, 212

J

James River, 183–5
abundance of oyster larvae in, 252
Kepone contaminated grass shrimp in, 239–44
Jellyfish, larval settlement behavior in, 120–2
Jonas, R. B., E. N. Buckley, and F. K. Pfaender, 264–6
Josselyn, M. N., and A. C. Mathieson, 258–61
Juncus roemerianus, 93–100, 185, 186, 187, 228–38
Juniperus virginiana, 212

K

Kalmia latifolia, 212
Karweit, M., W. B. Cronin, J. R. Schubel, and M. G. Gross, 106–10
Keefe, C. W., D. H. Hamilton, D. A. Flemer, and D. R. Heinle, 157–63
Kepone, 239–44
Keratella sp., 38, 42
Kiviat, E., 196–200
Kjerfve, B., and J. E. Greer, 111–9
Klaas, E. E., S. N. Wiemeyer, H. M. Ohlendorf, and D. M. Swineford, 46–53
Knatz, G., 68–71
Kosteletzkya virginica, 212
Kruczynski, W. L., and C. B. Subrahmanyam, 93–100

L

Labidocera aestiva, 70
Larsen, P. F., 183–5
Laurel, mountain, 212
Lecane sp., 38, 42
Lee, W. Y., 200–2
Lepomis gibbosus, 37
macrochirus, 37
Lieberman, J. T., and P. H. Muessig, 129–32
Lindsay, J. A., E. R. Radle, and J. C. S. Wang, 61–4
Littorina irrorata, 267
Locke, L. N., E. Cromartie, and L. J. Blus, 128–9
Lucania parva, 214
Lunatia heros, 184
Lygdamis muratus, 74

M

Mackiernan, G. B., S. D. Van Valkenburg, and A. E. Reynolds, 192–6
Macrocyclops sp., 70
Magnolia virginiana, 212
Mallow, seashore, 212
swamp rose, 212
Mathieson, A. C., and M. N. Josselyn, 258–61
Megalops cyprinoides, 205
Membras martinica, 62
Menidia beryllina, 61, 62
menidia, 61, 62
Mercenaria mercenaria, 111, 118
Merriner, J. V., and J. J. Govoni, 205–6
Microcoleus lyngbyaceus, 19, 21, 25, 27
Microgadus tomcod, 130
Micropterus salmoides, 37
Microtus pennsylvanicus, 48
Middaugh, D. P., and G. Floyd, 123–5
Milfoil, Eurasian water, 171, 172
Mississippi tidal marsh, salinity of, 185–8
Mnemiopsis leidyi, 58, 60
Morgan, R. P., II, 202–5
S. B. Block, N. I. Ulanowicz, and C. Buys, 255–8
Morone americana, 64–5, 130
saxatilis, 126–8, 130
Motta, J. J., 101–5
Mouse, house, 48, 49
meadow jumping, 48
Muckweed, 173
Muessig, P. H., and J. T. Lieberman, 129–32
Mus musculus, 48
Muskrat lodges and burrows, vertebrate use of, 196–200
Mya arenaria, 255–8
Mychonastes ruminatus, 192, 195
Myrica cerifera, 212
Myriophyllum, 101
spicatum, 171, 172, 180–1
Mysidopsis bahia, 242

N

Naiads, 173
Najas flexilis, 173
guadalupensis, 173
Navicula sp., 192, 194
Nicholson, W. R., 141–50
Nitzschia closterium, 192, 194, 195
Norris, J. N., and C. H. Ernest, 54–7
North Carolina salt marshes
bacteria in sediments of, 188–91
isolation of *Vibrio parahaemolyticus* in, 264–6
Spartina and *Juncus*, 228–38
analyses and measurements of, 229–31
energy fixation efficiency of, 236–7
Notemigonus crysoleucas, 37
Nyssa sylvatica, 212

O

Ohlendorf, H. M., D. M. Swineford, E. E. Klaas, and S. N. Wiemeyer, 46–53
Oithona similis, 69, 70, 71
Olisthodiscus luteus, 192, 195
Ondatra zibethicus, 196
Oodinium cyprinodontum, 225
Oryzias latipes, 224
Oyster, American
pest of, 183–5
swimming speeds of larvae, 252–5
viability of spermatozoa, 245–51

P

Pagurus pollicaris, 184
Palaemontes kadiakensis, 242
pugio, 239–44
exposure to cadmium, 123–5
vulgaris, 123, 124
Pandion haliaetus, 47
Papulospora, 102, 103
Passer domesticus, 48
Pasteurella multocida, 128
Pelecanus occidentalis, 51

Peltandra sp., 159, 160
Perca flavescens, 37
Pfaender, F. K., R. B. Jonas, and E. N. Buckley, 264–6
Photosynthesis and respiration in salt marshes, 228–38
Phragmites australis, 159, 160, 161
  communis, 186, 187
Pinus taeda, 212
Plankton respiration, reverse-flow concentration measuring technique, 65–8
Plectonema boryanum, 21
Polyarthra sp., 38, 42
Polychaete, 73–84
Polydora websteri, 183, 184
Polygonum arifolium, 160
  lapathifolium, 212
  sp., 159
Pomoxis nigromaculatus, 37
Pondweed
  clasping-leaf, 173
  grass-leaf, 173
  horned, 173
  large-leaf, 173
  long-leaf, 173
  sago, 173
  variable leaf, 173
Potamogeton amplifolus, 173, 174
  crispus, 173
  gramineus, 173, 174
  nodosus, 173, 174
  pectinatus, 173
  perfoliatus, 101, 102, 104, 173
    fungal isolates from, 103
  pusillus, 173
Prorocentrum minimum, 192, 194
Provenzano, A. J., Jr., K. B. Schmitz, and M. A. Boston, 239–44
Pseudoclanus, 90
Pseudodiaptomus coronatus, 69, 70, 71
Ptilimnium capillaceum, 212
Pump-sampler, zooplankton, 132–5
Pythium, 102, 104

Q

Quercus digitata, 212
Quiscalus quiscula, 48

R

Rabbit, eastern cottontail, 48
Radle, E. R., J. C. S. Wang, and J. A. Lindsay, 61–4
Rapp, K. M., R. F. Denoncourt, and J. C. Fisher, 269–72
Reynolds, A. E., G. B. Mackiernan, and S. D. Van Valkenburg, 192–6
Richard, G. A., 29–35
Ritchie, D. E., Jr., 64–5
Rooted aquatics, fungi on, 101–5
Rose, C. D., and E. Heath, 245–51
Rublee, P., and B. E. Dornseif, 188–91
Ruppia maritima, 101, 102, 104
  fungal isolates from, 103

S

Sabellaria beaufortensis, 74
  vulgaris, 73–84
    comparison with other sabellariids, 83
    developmental stages, 74, 76–7, 78, 81
Saltmarsh bulrush, 164–70, 212
Saltmarsh cordgrass, 211, 212, 258
Saltmeadow hay, 212
Sampler, three-stage, 61–3
Santee River, hydrography of, 111–9
Saphirella abyssicola, 200
  sp., 200–2
    possible relationship with *Hemicyclops adhaerens*, 200–2
Schmitz, K. B., M. A. Boston, and A. J. Provenzano, Jr., 239–44
Schubel, J. R., M. G. Gross, M. Karweit, and W. B. Cronin, 106–10
Scirpus olneyi, 159, 160, 161, 162
  robustus, 212
    germination ecology of, 164–70
    growth studies, 165, 167
Scottolana canadensis, 70
Sea nettle, feeding rates of, 58–61
Sediment accretion, variations in a salt marsh, 29–35
Seneca, E. D., L. M. Stroud, and U. Blum, 228–38
Shield, P. D., 1–16
Shontz, J. P., and M. F. Dietert, 164–70
Shrew, 48
Shrimp
  caridean, 1–16
    larval stages, 2–12
    postlarva stage, 12
  grass, 123
    Kepone contaminated populations of, 239–44
    variation in development of, 239–44
Skeletonema costatum, 192, 193, 195
Smartweed, 212
Snail
  freshwater, 54
  moon, 184
  periwinkle, submergence avoidance behavior of, 267
Somers, G. F., and M. Brown, 17–28
Spartina alterniflora, 19, 27, 29–35, 151, 161, 162, 164, 185, 189, 211, 212, 213, 228–38, 258, 259, 260
  cynosuroides, 159, 160, 161, 162, 185, 186, 187
  patens, 30, 159, 161, 162, 186, 187, 212
Spinus tristis, 48
Sponge, estuarine, 261–4
Springer, P. F., J. Steenis, S. Bayley, and V. D. Stotts, 171–82
Steenis, J., S. Bayley, V. D. Stotts, and P. F. Springer, 171–82
Stentor polymorphis, 38, 42
Stotts, V. D., P. F. Springer, J. Steenis, and S. Bayley, 171–82
Stroud, L. M., U. Blum, and E. D. Seneca, 228–38
Sturnus vulgaris, 48
Subrahmanyam, C. B., and W. L. Kruczynski, 93–100
Susquehanna Flats, 176, 177
  feeding grounds for migrating waterfowl populations, 176, 180
  milfoil population of, 177
    decline of, 180
Susquehanna River
  freshwater population of *Fundulus heteroclitus* in, 269–72
  sediment discharge of, 106–10
Swineford, D. M., E. E. Klaas, S. N. Wiemeyer, and H. M. Ohlendorf, 46–53
Sylvilagus floridanus, 48

T

Tarpon atlanticus, 205, 206
Temora longicornis, 70
Thor dobkini, 15
  floridanus, 15
  sp., 15
Tortanus discaudatus, 70
Trees
  holly, 212
  loblolly pine, 212
  red cedar, 212
  red maple, 212
  Spanish oak, 212
  swamp magnolia, 212
  tupelo, 212
  wax myrtle, 212
Trichoderma, 102, 103, 104
  album, 102
  viride, 102
Tropical Storm Eloise, floods caused by, 107
Turner, R. E., 65–8
Turtle, red-bellied, 54–7
Typha angustifolia, 159, 161, 212
  latifolia, 161
  spp., 159, 160
Tyto alba, 46

U

Uca annulipes, 268
  pugilator, 123, 124
  pugnax, semilunar hatching periodicity in, 268–9
  triangularis, 268
Ulanowicz, N. I., C. Buys, R. P. Morgan, II, and S. B. Block, 255–8

V

Vallisneria americana, 173
Van Valkenburg, S. D., A. E. Reynolds, and G. B. Mackiernan, 192–6
Vibrio parahaemolyticus, 264–6
Vigerstad, T. J., and J. S. Cobb, 36–45
Viviparus malleatus, 54
Vole, meadow, 48, 49

W

Wang, J. C. S., J. A. Lindsay, and E. R. Radle, 61–4
Water stargrass, 173
Westin, D. T., 126–8
Wetlands, size and ecological value of, 151–6
Wheeler, D. E., 268–9
Wiemeyer, S. N., H. M. Ohlendorf, D. M. Swineford, and E. E. Klaas, 46–53
Wild celery, 173

Z

Zannichellia palustris, 173
Zapus hudsonius, 48
Zizania aquatica, 159, 160
Zooplankton
  dominant groups of, 87
  ecological role of, 85–92
  energy flow of, 86, 89–91
  mass balance of, 86, 89
  preservation, 135–7
    staining techniques, 136, 137
Zostera marina, 101

Estuaries

JOURNAL OF THE ESTUARINE RESEARCH FEDERATION

Volume I, 1978

MARTIN L. WILEY

Managing Editor

Published By

Estuarine Research Federation
Chesapeake Biological Laboratory
Solomons, Maryland

Estuaries Vol. 1, No. 4, p. ii–v, December 1978

Table of Contents

NUMBER 1, MARCH 1978

Editorial: Announcing ESTUARIES, Journal of the Estuarine Research Federation. By Martin L. Wiley i

SHIELD, P. D. Larval development of the caridean shrimp, *Hippolyte pleuracanthus* (Stimpson), reared in the laboratory 1

SOMERS, G. F., AND M. BROWN. The affinity of trichomes of blue-green algae for calcium ions 17

RICHARD, G. A. Seasonal and environmental variations in sediment accretion in a Long Island salt marsh 29

VIGERSTAD, T. J., AND J. S. COBB. Effects of predation by sea-run juvenile alewives (*Alosa pseudoharengus*) on the zooplankton community at Hamilton Reservoir, Rhode Island 36

KLAAS, E. E., S. N. WIEMEYER, H. M. OHLENDORF, AND D. M. SWINEFORD. Organochlorine residues, eggshell thickness, and nest success in barn owls from the Chesapeake Bay 46

Short Papers and Notes

ERNST, C. H., AND J. N. NORRIS. Observations on the algal genus *Basicladia* and the red-bellied turtle, *Chrysemys rubriventris* 54

CLIFFORD, H. C., AND D. G. CARGO. Feeding rates of the sea nettle, *Chrysaora quinquecirrha,* under laboratory conditions 58

LINDSAY, J. A., E. R. RADLE, AND J. C. S. WANG. A supplemental sampling method for estuarine ichthyoplankton with emphasis on the Atherinidae 61

RITCHIE, D. E., JR. Anomalous dorsal fin of white perch 64

TURNER, R. E. Variability of the reverse-flow concentration technique of measuring plankton respiration 65

KNATZ, G. Succession of copepod species in a middle Atlantic estuary ... 68

NUMBER 2, JUNE 1978

CURTIS, L. A. Aspects of the population dynamics of the polychaete *Sabellaria vulgaris* Verrill, in the Delaware Bay 73

CARLSON, D. M. The ecological role of zooplankton in a Long Island salt marsh 85

KRUCZYNSKI, W. L., AND C. B. SUBRAHMANYAM. Distribution and breeding cycle of *Cyathura polita* (Isopoda: Anthuridae) in a *Juncus roemerianus* marsh of northern Florida 93

MOTTA, J. J. The occurrence of fungi on some rooted aquatics from the Chesapeake Bay 101

GROSS, M. G., M. KARWEIT, W. B. CRONIN, AND J. R. SCHUBEL. Suspended sediment discharge of the Susquehanna River to northern Chesapeake Bay, 1966 to 1976 106

KJERFVE, B., AND J. E. GREER. Hydrography of the Santee River during moderate discharge conditions 111

Short Papers and Notes

BREWER, R. H. Larval settlement behavior in the jellyfish *Aurelia aurita* (Linnaeus) (Scyphozoa: Semaeostomeae) 120
MIDDAUGH, D. P., AND G. FLOYD. The effect of prehatch and posthatch exposure to cadmium on salinity tolerance of larval grass shrimp, *Palaemonetes pugio* 123
WESTIN, D. T. Serum and blood from adult striped bass, *Morone saxatilis* 126
BLUS, L. J., L. N. LOCKE, AND E. CROMARTIE. Avian cholera and organochlorine residues in an American oystercatcher 128
LIEBERMAN, J. T., AND P. H. MUESSIG. Evaluation of an air bubbler to mitigate fish impingement at an electric generating plant 129
COUGHLAN, J., AND J. M. FLEMING. A versatile pump-sampler for live zooplankton 132
FLEMING, J. M., AND J. COUGHLAN. Preservation of vitally stained zooplankton for live/dead sorting 135

Book Reviews

PROCEEDINGS OF THE FIRST INTERNATIONAL CONFERENCE ON AQUACULTURE NUTRITION. Edited by K. S. Price, W. N. Shaw, and K. S. Danberg. Reviewed by Kenneth R. Tenore 138
WATER CHLORINATION-ENVIRONMENTAL IMPACT AND HEALTH EFFECTS, VOL. I. Edited by R. L. Jolley. Reviewed by George R. Helz 138

NUMBER 3, SEPTEMBER 1978

NICHOLSON, W. R. Movements and population structure of Atlantic menhaden indicated by tag returns 141
GUCINSKI, H. A note on the relation of size to ecological value of some wetlands 151
FLEMER, D. A., D. R. HEINLE, C. W. KEEFE, AND D. H. HAMILTON. Standing crops of marsh vegetation of two tributaries of Chesapeake Bay 157
DIETERT, M. F., AND J. P. SHONTZ. Germination ecology of a Maryland population of saltmarsh bulrush (*Scirpus robustus*) 164
BAYLEY, S., V. D. STOTTS, P. F. SPRINGER, AND J. STEENIS. Changes in submerged aquatic macrophyte populations at the head of Chesapeake Bay, 1958–1975 171

Short Papers and Notes

LARSEN, P. F. *Boccardia hamata* (Polychaeta:Spionidae): A potential pest of the American oyster in the James River, Virginia 183
HACKNEY, C. T., AND A. A. DE LA CRUZ. Changes in interstitial water salinity of a Mississippi tidal marsh 185
RUBLEE, P., AND B. E. DORNSEIF. Direct counts of bacteria in the sediments of a North Carolina salt marsh 188
REYNOLDS, A. E., G. B. MACKIERNAN, AND S. D. VAN VALKENBURG. Vital and mortal staining of algae in the presence of chlorine-produced oxidants 192
KIVIAT, E. Vertebrate use of muskrat lodges and burrows 196

LEE, W. Y. The cyclopoid copepods, *Hemicyclops adhaerens* and *Saphirella* sp., in the Damariscotta River estuary, Maine, with a note to their possible relationship 200
COLE, M. A., AND R. P. MORGAN II. Genetic variation in two populations of blue crab, *Callinectes sapidus* 202
GOVONI, J. J., AND J. V. MERRINER. The occurrence of ladyfish, *Elops saurus,* larvae in low salinity waters and another record for Chesapeake Bay 205

Book Review

ECOLOGY, UTILIZATION, AND MANAGEMENT OF MARINE FISHERIES. By George A. Rounsefell. Reviewed by Robert L. Lippson 207

Announcements

MARINE FLORA AND FAUNA OF THE NORTHEASTERN UNITED STATES: A PROGRESS REPORT. By Melbourne R. Carriker 208
THIRD INTERNATIONAL CONGRESS ON THE HISTORY OF OCEANOGRAPHY ... 209

NUMBER 4, DECEMBER 1978

BYRNE, D. M. Life history of the spotfin killifish, *Fundulus luciae* (Pisces: Cyprinodontidae), in Fox Creek Marsh, Virginia 211
BLUM, U., E. D. SENECA, AND L. M. STROUD. Photosynthesis and respiration of *Spartina* and *Juncus* salt marshes in North Carolina: Some models 228
PROVENZANO, A. J., JR., K. B. SCHMITZ, AND M. A. BOSTON. Survival, duration of larval stages, and size of postlarvae to grass shrimp, *Palaemonetes pugio,* reared from Kepone® contaminated and uncontaminated populations in Chesapeake Bay 239
ROSE, C. D., AND E. HEATH. Viability of American oyster, *Crassostrea virginica,* spermatozoa exposed to stress 245

Short Papers and Notes

HIDU, H., AND H. H. HASKIN. Swimming speeds of oyster larvae *Crassostrea virginica* in different salinities and temperatures 252
MORGAN, R. P., II, S. B. BLOCK, N. I. ULANOWICZ, AND C. BUYS. Genetic variation in the soft-shelled clam, *Mya arenaria* 255
JOSSELYN, M. N., AND A. C. MATHIESON. Contribution of receptacles from the fucoid *Ascophyllum nodosum* to the detrital pool of a north temperate estuary 258
FELL, P. E. Variation in the time of annual degeneration of the estuarine sponge, *Haliclona loosanoffi* 261
JONAS, R. B., E. N. BUCKLEY, F. K. PFAENDER. A note on the isolation of the bacterium *Vibrio parahaemolyticus* from estuarine North Carolina ... 264
BLEIL, D. F., AND M. E. GUNN. Submergence avoidance behavior in the periwinkle *Littorina irrorata* is not due to threat of drowning 267
WHEELER, D. E. Semilunar hatching periodicity in the mud fiddler crab *Uca pugnax* (Smith) 268

DENONCOURT, R. F., J. C. FISHER, AND K. M. RAPP. A freshwater population of the mummichog, *Fundulus heteroclitus,* from the Susquehanna River drainage in Pennsylvania 269
Index to Volume 1 273